

Type 201 Stainless Steel Band									
Item #	Width Inches	Width mm	Thickness Each (in.)	Thickness Each (mm)	Feet/Coil	Weight	KG	Break Strength	
BA202	1/4"	6.4	0.020	0.51	100	1.7	0.7	500	
BA203	3/8"	9.6	0.025	0.64	100	3.2	1.5	900	
BA204	1/2"	12.7	0.030	0.76	100	5.1	2.3	1500	
BA205	5/8"	15.9	0.030	0.76	100	6.4	2.9	1800	
BA206	3/4"	19.1	0.030	0.76	100	7.7	3.5	2200	
BA207	1"	25.4	0.030	0.76	100	10.2	4.6	2850	
BA208	1 1/4"	31.8	0.030	0.76	100	12.8	5.8	3700	
BA210	2"	50.8	0.030	0.76	100	20.4	9.2	5700	

Type 201 Stainless Steel Band in Totes									
Item #	Width Inches	Width mm	Thickness Each (in.)	Thickness Each (mm)	Feet/Coil	Weight	KG	Break Strength	
BA204T	1/2"	12.7	0.030	0.76	100	5.5	2.5	1500	
BA205T	5/8"	15.9	0.030	0.76	100	6.8	3.1	1800	
BA206T	3/4"	19.1	0.030	0.76	100	8.2	3.7	2200	

Type 316 Stainless Steel Band									
Item #	Width Inches	Width mm	Thickness Each (in.)	Thickness Each (mm)	Feet/Coil	Weight	KG	Break Strength	
BA403	3/8"	9.6	0.025	0.64	100	3.5	1.6	700	
BA404	1/2"	12.7	0.030	0.76	100	4.9	2.2	1150	
BA405	5/8"	15.9	0.030	0.76	100	6.2	2.8	1400	
BA406	3/4"	19.1	0.030	0.76	100	7.5	3.4	1700	

Type 201 and 316 Heavy Duty Stainless Steel Band									
Item #	Width Inches	Width mm	Thickness Each (in.)	Thickness Each (mm)	Feet/Coil	Weight	KG	Break Strength	
BA430	3/4"	19.1	0.044	1.1	100	11.6	5.4	3150	
BA431	1"	25.4	0.044	1.1	100	13.7	6.4	4200	
BA432	1 1/4"	31.8	0.044	1.1	100	17.2	8.0	5200	
BA432-316	1 1/4"	31.8	0.044	1.1	100	17.2	8.0	4125	

Lite Gauge Band Type 201 Stainless Steel Band									
Item #	Width Inches	Width mm	Thickness Each (in.)	Thickness Each (mm)	Feet/Coil	Weight	KG	Break Strength	
LG134	1/2"	12.7	0.015	0.38	100	2.9	1.3	725	
LG135	5/8"	15.9	0.015	0.38	100	3.6	1.7	900	
LG136	3/4"	19.1	0.015	0.38	100	4.4	2	1100	
LG128	1/2"	12.7	0.015	0.38	200	5.8	2.6	725	
LG129	5/8"	15.9	0.015	0.38	200	7.3	3.2	900	
LG130	3/4"	19.1	0.015	0.38	200	8.8	3.9	1100	
LG181	1/2"	12.7	0.020	0.51	100	3.8	1.7	950	
LG171	5/8"	15.9	0.020	0.51	100	5.6	2.6	1200	
LG161	3/4"	19.1	0.020	0.51	100	5.7	2.5	1400	
LG183	1/2"	12.7	0.020	0.51	200	7.6	3.4	950	
LG173	5/8"	15.9	0.020	0.51	200	11.2	5.2	1200	
LG163	3/4"	19.1	0.020	0.51	200	11.4	5	1400	
LG144	1/2"	12.7	0.025	0.64	100	4.5	2	1200	
LG145	5/8"	15.9	0.025	0.64	100	5.6	2.6	1500	
LG146	3/4"	19.1	0.025	0.64	100	6.7	3	1800	
LG148	1/2"	12.7	0.025	0.64	200	9	4	1200	
LG149	5/8"	15.9	0.025	0.64	200	11.2	5.2	1500	
LG150	3/4"	19.1	0.025	0.64	200	13.4	6	1800	

Lite Gauge Band Type 304 Stainless Steel Band									
Item #	Width Inches	Width mm	Thickness Each (in.)	Thickness Each (mm)	Feet/Coil	Weight	KG	Break Strength	
LG134-304	1/2"	12.7	0.015	0.38	100	2.9	1.3	600	
LG135-304	5/8"	15.9	0.015	0.38	100	3.6	1.7	700	
LG136-304	3/4"	19.1	0.015	0.38	100	4.4	2	850	
LG128-304	1/2"	12.7	0.015	0.38	200	5.8	2.6	600	
LG129-304	5/8"	15.9	0.015	0.38	200	7.3	3.2	700	
LG130-304	3/4"	19.1	0.015	0.38	200	8.8	3.9	850	

LG181-304	1/2"	12.7	0.020	0.51	100	3.8	1.7	750
LG171-304	5/8"	15.9	0.020	0.51	100	5.6	2.6	950
LG161-304	3/4"	19.1	0.020	0.51	100	5.7	2.5	1125
LG183-304	1/2"	12.7	0.020	0.51	200	7.6	3.4	750
LG173-304	5/8"	15.9	0.020	0.51	200	11.2	5.2	950
LG163-304	3/4"	19.1	0.020	0.51	200	11.4	5	1125

Mill Coils Type 201 or 304 Stainless Steel Band, ribbon wound and sold by the pound

Item #	Width Inches	Width mm	Thickness Each (in.)	Thickness Each (mm)	Break Strength
LG181LB	Type 201 1/2"	12.7	0.020	0.51	950
LG161LB	Type 201 3/4"	19.1	0.020	0.51	1400
LG181-304LB	Type 304 1/2"	12.7	0.020	0.51	750
LG-304161LB	Type 304 3/4"	19.1	0.020	0.51	1125

Type 316 Stainless Steel PPA 571 coated Band

Item #	Width Inches	Width mm	Thickness Each (in.)	Thickness Each (mm)	Feet/Coil	Weight	KG	Break Strength
BACO4339	3/8"	9.6	.048*	1.22*	82.5	2.6	1.2	450
BACO4349	1/2"	12.7	.048*	1.22*	82.5	3.5	1.6	600
BACO4359	5/8"	15.9	.048*	1.22*	82.5	4.4	2	750

*Material thickness includes PPA 571 coating with base material thickness @ .016"

Color Fast™ Band 100' coil

Item #	Width Inches	Width mm	Thickness Each (in.)	Thickness Each (mm)	Feet/Coil	Weight	KG
BA204 B150	201 SS 1/2" Light Blue Polyester Coated	12.7	0.030	0.76	100	5.1	2.3
BA204 B170	201 SS 1/2" Blue Polyester Coated	12.7	0.030	0.76	100	5.1	2.3
BA204 C180	201 SS 1/2" Green Polyester Coated	12.7	0.030	0.76	100	5.1	2.3
BA204 D220	201 SS 1/2" Gray Polyester Coated	12.7	0.030	0.76	100	5.1	2.3
BA204 K220	201 SS 1/2" Black Polyester Coated	12.7	0.030	0.76	100	5.1	2.3
BA204 OR130	201 SS 1/2" Orange Polyester Coated	12.7	0.030	0.76	100	5.1	2.3
BA204 R110	201 SS 1/2" Red Polyester Coated	12.7	0.030	0.76	100	5.1	2.3
BA204 R210	201 SS 1/2" Purple Polyester Coated	12.7	0.030	0.76	100	5.1	2.3
BA204 T130	201 SS 1/2" Brown Polyester Coated	12.7	0.030	0.76	100	5.1	2.3
BA204 T450	201 SS 1/2" Tan Polyester Coated	12.7	0.030	0.76	100	5.1	2.3
BA204 W310	201 SS 1/2" White Polyester Coated	12.7	0.030	0.76	100	5.1	2.3
BA204 Y120	201 SS 1/2" Yellow Polyester Coated	12.7	0.030	0.76	100	5.1	2.3
BA206 K110	201 3/4" x .030 x 100' Black Polyester Coated Band	19.1	0.030	0.76	100	7.7	3.5

Color Fast™ Band Cut to Length

Item #	Width Inches	Width mm	Thickness Each (in.)	Thickness Each (mm)	Length (in.)	Length (cm)	Pkg/Qty
CTL 204 SS 20" WS	Type 201 1/2" x .030 x 20" with wing seal	12.7	0.030	0.76	20	50.8	100/box
CTL 204 SS 27" WS	Type 201 1/2" x .030 x 27" with wing seal	12.7	0.030	0.76	27	60.96	100/box
CTL204 B150 20" WS	Lt Blue Type 201 1/2" x 030 x 20" with wing seal	12.7	0.030	0.76	20	50.8	100/box
CTL204 B150 24" WS	Lt Blue Type 201 1/2" x 030 x 24" with wing seal	12.7	0.030	0.76	24	60.96	100/box
CTL204 B150 27" WS	Lt Blue Type 201 1/2" x 030 x 27" with wing seal	12.7	0.030	0.76	27	68.58	100/box
CTL204 B150 36" WS	Lt Blue Type 201 1/2" x 030 x 36" with wing seal	12.7	0.030	0.76	36	91.44	100/box
CTL204 B170 20" WS	Blue Type 201 1/2" x 030 x 20" with wing seal	12.7	0.030	0.76	20	50.8	100/box
CTL204 B170 24" WS	Blue Type 201 1/2" x 030 x 24" with wing seal	12.7	0.030	0.76	24	60.96	100/box
CTL204 B170 27" WS	Blue Type 201 1/2" x 030 x 27" with wing seal	12.7	0.030	0.76	27	68.58	100/box
CTL204 B170 36" WS	Blue Type 201 1/2" x 030 x 36" with wing seal	12.7	0.030	0.76	36	91.44	100/box
CTL204 C180 20" WS	Green Type 201 1/2" x 030 x 20" with wing seal	12.7	0.030	0.76	20	50.8	100/box
CTL204 C180 24" WS	Green Type 201 1/2" x 030 x 24" with wing seal	12.7	0.030	0.76	24	60.96	100/box
CTL204 C180 27" WS	Green Type 201 1/2" x 030 x 27" with wing seal	12.7	0.030	0.76	27	68.58	100/box
CTL204 C180 36" WS	Green Type 201 1/2" x 030 x 36" with wing seal	12.7	0.030	0.76	36	91.44	100/box
CTL204 D220 20" WS	Gray Type 201 1/2" x 030 x 20" with wing seal	12.7	0.030	0.76	20	50.8	100/box
CTL204 D220 24" WS	Gray Type 201 1/2" x 030 x 20" with wing seal	12.7	0.030	0.76	24	60.96	100/box
CTL204 D220 27" WS	Gray Type 201 1/2" x 030 x 20" with wing seal	12.7	0.030	0.76	27	68.58	100/box
CTL204 D220 36" WS	Gray Type 201 1/2" x 030 x 27" with wing seal	12.7	0.030	0.76	36	91.44	100/box
CTL204 K220 20" WS	Black Type 201 1/2" x 030 x 20" with wing seal	12.7	0.030	0.76	20	50.8	100/box

CTL204 K220 24" WS	Black Type 201 1/2" x 030 x 24" with wing seal	12.7	0.030	0.76	24	60.96	100/box
CTL204 K220 27" WS	Black Type 201 1/2" x 030 x 27" with wing seal	12.7	0.030	0.76	27	68.58	100/box
CTL204 K220 36" WS	Black Type 201 1/2" x 030 x 36" with wing seal	12.7	0.030	0.76	36	91.44	100/box
CTL204 OR130 20" WS	Orange Type 201 1/2" x 030 x 20" with wing seal	12.7	0.030	0.76	20	50.8	100/box
CTL204 OR130 24" WS	Orange Type 201 1/2" x 030 x 24" with wing seal	12.7	0.030	0.76	24	60.96	100/box
CTL204 OR130 27" WS	Orange Type 201 1/2" x 030 x 27" with wing seal	12.7	0.030	0.76	27	68.58	100/box
CTL204 OR130 36" WS	Orange Type 201 1/2" x 030 x 36" with wing seal	12.7	0.030	0.76	36	91.44	100/box
CTL204 R110 20" WS	Red Type 201 1/2" x 030 x 20" with wing seal	12.7	0.030	0.76	20	50.8	100/box
CTL204 R110 24" WS	Red Type 201 1/2" x 030 x 24" with wing seal	12.7	0.030	0.76	24	60.96	100/box
CTL204 R110 27" WS	Red Type 201 1/2" x 030 x 27" with wing seal	12.7	0.030	0.76	27	68.58	100/box
CTL204 R110 36" WS	Red Type 201 1/2" x 030 x 36" with wing seal	12.7	0.030	0.76	36	91.44	100/box
CTL204 R210 20" WS	Purple Type 201 1/2" x 030 x 20" with wing seal	12.7	0.030	0.76	20	50.8	100/box
CTL204 R210 24" WS	Purple Type 201 1/2" x 030 x 24" with wing seal	12.7	0.030	0.76	24	60.96	100/box
CTL204 R210 27" WS	Purple Type 201 1/2" x 030 x 27" with wing seal	12.7	0.030	0.76	27	68.58	100/box
CTL204 R210 36" WS	Purple Type 201 1/2" x 030 x 36" with wing seal	12.7	0.030	0.76	36	91.44	100/box
CTL204 T130 20" WS	Brown Type 201 1/2" x 030 x 20" with wing seal	12.7	0.030	0.76	20	50.8	100/box
CTL204 T130 24" WS	Brown Type 201 1/2" x 030 x 24" with wing seal	12.7	0.030	0.76	24	60.96	100/box
CTL204 T130 27" WS	Brown Type 201 1/2" x 030 x 27" with wing seal	12.7	0.030	0.76	27	68.58	100/box
CTL204 T130 36" WS	Brown Type 201 1/2" x 030 x 36" with wing seal	12.7	0.030	0.76	36	91.44	100/box
CTL204 T450 20" WS	Tan Type 201 1/2" x 030 x 20" with wing seal	12.7	0.030	0.76	20	50.8	100/box
CTL204 T450 24" WS	Tan Type 201 1/2" x 030 x 24" with wing seal	12.7	0.030	0.76	24	60.96	100/box
CTL204 T450 27" WS	Tan Type 201 1/2" x 030 x 27" with wing seal	12.7	0.030	0.76	27	68.58	100/box
CTL204 T450 36" WS	Tan Type 201 1/2" x 030 x 36" with wing seal	12.7	0.030	0.76	36	91.44	100/box
CTL204 W310 20" WS	White Type 201 1/2" x 030 x 20" with wing seal	12.7	0.030	0.76	20	50.8	100/box
CTL204 W310 24" WS	White Type 201 1/2" x 030 x 24" with wing seal	12.7	0.030	0.76	24	60.96	100/box
CTL204 W310 27" WS	White Type 201 1/2" x 030 x 27" with wing seal	12.7	0.030	0.76	27	68.58	100/box
CTL204 W310 36" WS	White Type 201 1/2" x 030 x 36" with wing seal	12.7	0.030	0.76	36	91.44	100/box
CTL204 Y120 20" WS	Yellow Type 201 1/2" x 030 x 20" with wing seal	12.7	0.030	0.76	20	50.8	100/box
CTL204 Y120 24" WS	Yellow Type 201 1/2" x 030 x 24" with wing seal	12.7	0.030	0.76	24	60.96	100/box
CTL204 Y120 27" WS	Yellow Type 201 1/2" x 030 x 27" with wing seal	12.7	0.030	0.76	27	68.58	100/box
CTL204 Y120 36" WS	Yellow Type 201 1/2" x 030 x 36" with wing seal	12.7	0.030	0.76	36	91.44	100/box

Other lengths are available and this product can be made with a buckle instead of a wing seal